



SINGLE FAMILY PERMIT SUBMITTAL CHECKLIST

This checklist below has been designed to provide a brief overview of the City's submittal requirements. For a comprehensive list of requirements, please review the document in its entirety. Any applications that are missing one or more of the items listed below may be considered incomplete and may delay the permit review process.

Application Documents

1. Completed and signed Master Building Application
2. Certification of Owner and Transfer of Applicant Status Form
3. Parcel number and legal description of the property
4. Water Availability Certificate
5. Sewer Availability Certificate
6. King County **Approved** Septic System, if applicable
7. Utility application
8. Two (2) full sized plan sets (including full size site plans)
9. One (1) reduced sized plan set at 11" x 17"
10. Two (2) complete sets of Structural Calculations
11. Two (2) Truss Engineering
12. Two (2) Geotechnical Design Report and/or Mine Hazard Report, if required
13. Energy code – prescriptive worksheet (online)
14. Copy of Washington State Contractor's License – by issuance
15. Sensitive Area Identification Form
16. Covenant Not to Sue, if required
17. Department of Ecology-Construction Stormwater General Permit – if construction disturbs more than 1 acre

Site Plan Requirements

Please refer to the Site Plan Example Document

Plans and Drawings

Format: All drawings submitted shall conform to the following requirements:

1. Sheet size – 18"x24" or 24"x36" or 30"x42" (reduced = 11"x17")
2. Title Block – Locate on right hand margin and provide:
 - a. Project/Owner name
 - b. Drawing title and drawing number
 - c. Revision Block
 - d. Project Address
 - e. Parcel Number
 - f. Name, address, and phone number of contact responsible for drawing.
3. Scale – Unless site size dictates a different scale, site (civil) drawings shall be 1" =10' and architectural plans shall be 1/4" =1' unless impractical
4. North arrow – all site plans shall include a north arrow

Floor Plan (must match the orientation of the site plan)

- a. Give square footage for each floor, including decks and garages.
 1. Ex. Building Data: (Square footage breakdown for this project)
 - a. Living area _____ No of Stories _____
 - b. Deck _____ Lot Sq Ft _____
 - c. Garage _____ % of lot cover _____
 - d. Carport _____ Bldg Height _____
 - e. Unfinished Basement _____
 - b. Floor layout: Show arrangement of walls, note proposed use and dimensions of all rooms; show stairs, hallways, restrooms, and decks.
 - c. Windows and doors: Show location and dimensions of all windows, doors and skylights and indicate opening direction and size. Indicate header sizes over openings.
 - d. Beam locations, materials, spacing and sizes.
 - e. Fixture location: Show location of hot water heater, heating unit, fans, smoke detectors, bathroom fixtures, mechanical equipment, etc.
 - f. Floor joist sizes, directions of run, spans and spacing (in lieu of separate framing plans).
 - g. Ceiling joists, floor joists, trusses, and roof rafter sizes, directions of run, spans and spacing (in lieu of separate framing plans).
 - h. Location of plumbing/heating fixtures and equipment.
 - i. Shear wall location.
 - j. Show locations for all switches, outlets, receptacles, and electrical appliances.

Elevations

- a. Show elevations from north, south, east and west; provide finished floor level for each floor; show existing and proposed grades; show maximum building height; show maximum site slope.
- b. Roof: Show roof overhangs and chimney clearances from roof. Indicate pitch of roof.
- c. Siding: Note exterior siding and roof covering.
- d. Openings: Show doors, windows, skylights, sliders or other type of openable vents in windows.
- e. Decks and porches: Indicate height of guardrails and spacing of intermediate railing. Show rise/run of stairs with handrail grasp dimension and height above nosing of stair tread.

Door and Window

- a. Show door size and type for doors between the garage and dwelling.
- b. Show window size, opening and direction and size
- c. Show bedroom egress window location, clear open size, sill height, and type of opening, i.e., slider, casement, etc.
- d. Show location of safety glazing on windows and doors.

Foundation

- a. Foundation Wall: Show Foundation Plan, shape, all dimensions; include maximum wall height(s) and all connections. Provide typical foundation sections at various points around the foundation system.
- b. Show typical foundation and floor section with all materials labeled; show size and spacing of all members; all dimensions, wall thickness, reinforcing bar size and spacing, reinforcing bar.

- c. Posts and footings: show location and size of beams, posts, interior footings and their dimensions and connections.
- d. Crawl spaces: If crawl space is included, show location and size of all vents, access size and location.
- e. Floor Joists: Show floor joist size, spacing, direction, support, connections, blocking, etc.
- f. Other Spaces: Show and label space within foundation (i.e. basement, garage, recreation room)
- g. Retaining Walls: Retaining structures in excess of 4' in height (measured from bottom of footing to top of wall) require engineered design with calculations. Design must be stamped by a Washington State Engineer.
- h. Clearance, footing depth below grade, clearance between grade and sill plate, maximum wall height, connections, anchor bolt size and spacing, connection between floor diaphragm and foundation, slab thickness, slab or floor insulation, drainage for foundation retaining wall.
- i. Engineered Foundation: Stamped engineered plans with calculations are required for non-conventional foundation systems and/or sites with special soils conditions.

Roof, Deck and Floor Framing Plans

- a. Roof, Floor and Deck Joists: Show joist size, spacing, direction, support, connections, blocking, etc.
- b. Show all connection details, including post-beam, post-footing, collar tie, etc. Note: Roof collar tie details require engineered calculations to be submitted.
 - i. Size, lumber species, grade, spacing and spans of all framing members. Specify panel identification index for sheathing.
- c. Clearly show bearing/shear walls and specify nailing schedule.
- d. Show materials and method of connection of all posts to beams.
- e. Call out any special connection method in detail.
- f. Designs out of the scope of the conventional framing provisions of the International Residential Code shall be designed and stamped by a Washington State Registered Professional Engineer.
- g. Show lateral bracing in compliance with IRC R602.10, or provide details on the plans, designed and stamped by a structural engineer. The engineer's analysis of seismic and/or wind loads must accompany the design. Plans shall detail all building connections for all designed lateral load connections.

Architectural Cross Sections and Details

- a. Provide framing section: show floor, wall, roof framing members size and spacing; show insulation and all materials used on interior.
- b. Show typical roof section with all materials labeled; indicate size and spacing of all members; include all dimensions, venting, insulation, and connections.
- c. Complete detailed cross sections of footing/foundations. Show backfill to top of interior footings.
- d. Mud sill and anchorage material (cedar or pressure treated).
- e. Post to beam connections.
 - f. Floor construction--show required clearances of earth to wood or specify treated lumber.
 - g. Wall construction including exterior and interior wall covering and insulation.
 - h. Ceiling construction (size and spacing of joists or pre-manufactured truss spacing) and insulation.
 - i. Components of roof covering.
 - j. Show compliance with ventilation requirements for attic space.

- k. Full height section through fireplace and chimney, including reinforcing materials.
- l. Full height section through stairways including dimensions of riser and tread framing materials; riser height, tread width; handrail height above tread nosing; and clearance to ceiling above the stairs, include framing anchor connection of stringer to floor framing, and grasp dimensions, distance between any intermediate rails, fire blocking, minimum head room and landing size. Also, specify a minimum one-hour fire protection for usable space under stairs.

Structural Notes

- a. Specify all design load values, including dead, live, snow, wind, lateral retaining wall pressures and soil bearing values.
- b. Specify minimum design concrete strength, concrete sack mix, and reinforcing bar grade.
- c. Specify the grade and species of all framing lumber.
- d. Specify the combination symbol (strength) of all GLU-LAM beams.
- e. Specify metal connectors, including joist hangers, clips, post caps, post bases, etc.

Lateral (Seismic) Design

- a. Provide lateral Wind and Seismic calculation comparison.
- b. Provide complete lateral calculation analysis for controlling wind or seismic load.
- c. Provide details showing complete load path transfer at roof perimeter, interior shear walls, cantilevered floors, off set shear walls, and ceiling diaphragm to shear walls (if used).
- d. Engineer's stamp required on drawing and calculations.
- e. Provide shear wall schedule noting nail spacing, blocking, bolts, top and bottom plate nailing and shear wall capacities on the plans.
- f. Locate hold down straps on plan.
- g. Provide hold down details for various conditions.

Energy Code Compliance

Show insulation R values in appropriate places on architectural sections and u-value of windows and skylights.

PLEASE REFER TO THE CURRENT ADOPTED EDITION OF THE INTERNATIONAL RESIDENTIAL CODE, CITY OF BLACK DIAMOND ORDINANCES, AND INFORMATION BROCHURES FOR CODE REQUIREMENTS.

ADDITIONAL PERMITS MAY BE REQUIRED FROM OTHER AGENCIES:

- Electrical Permits: Labor & Industries, 206-835-1000
- Septic Systems: King County Health Dept., 206-296-4932
- Covington Water Permits: Covington Water Dist., 253-631-0565
- Soos Creek Sewer Permits: Soos Creek Sewer Dist., 253-630-9900
- Fire Permit Questions: Mt View Fire (Robert), 253-735-0284
- HPA Permits: Fish & Wildlife, 425-313-5683